


GAGE NO.	BOLSTER DESIGN	JOURNAL SIZE	STD/LOW LEVEL	WHEEL BASE	A	B	C	D	E	F	G	H	I	J	K	L
W294-1	BARBER	6 X 11	STD	68.0	17.000	7.500	8.130	8.630	10.000	11.500	3.000	1.789	2.000	N/A	N/A	35 °
	BARBER	6 X 11	LOW	63.0												
	BARBER	6 1/2X12	STD	70.0												
W294-2	BARBER HD	7 X 12	STD	72.0	17.000	8.500	8.500	N/A	10.000	12.500	3.500	1.349	3.000	1.0	3.5	32 °
W294-3	BARBER HD	6 1/2X12	STD	70.0	14.000	8.500	6.250	N/A	8.000	10.250	3.500	1.549	3.000	1.0	3.5	32 °
W294-4	BARBER	6 X 11	LOW	61.0	14.000	7.500	6.500	N/A	8.000	9.625	3.375	2.075	2.000	N/A	N/A	35 °
W294-5	SWING MOTION	6 X 11	LOW	63.0	15.000	6.500	5.000	N/A	6.250	9.750	2.625	0.762	2.000	N/A	N/A	45 °
W294-6	SWING MOTION	6 X 11	STD	68.0	15.000	6.500	4.750	N/A	6.000	9.500	2.625	0.762	2.000	N/A	N/A	45 °
	SWING MOTION	6 1/2X12	STD	72.0												
W294-7	SWING MOTION	7 X 12	STD	73.0	15.000	6.500	5.500	N/A	6.750	10.250	2.625	0.762	2.000	N/A	N/A	45 °



REFERENCE:  
 TRUCK-BARBER-SWING MOTION  
 BOLSTER SLOPE  
 POCKETS GAGE  
 TTX DRAWING C-10143 REV H

MANUFACTURE TOLERANCE  
 UNLESS OTHERWISE SPECIFIED: +/- .030"

BOXED DIMENSIONS ARE MINIMUM  
 CHARACTERISTICS TO BE VERIFIED  
 FOR RECERTIFICATION  
 RECERTIFICATION TOLERANCE +/- .020"

Material:  
 Stainless Steel 304  
 Thickness: 1/8"  
 Scale: .25X

WINCHESTER INDUSTRIES INC.				
BOLSTER SLOPE POCKET GAGE				
SIZE A	Job#	DWG NO. W294	Disk	REV A
CUSTOMER			ENG JCD 8/30/2006	